
# ALTO-SHAAM.

## EUROPEAN EQUIPMENT CATALOG ENGLISH



# Willing to try the untried.

We pioneer solutions to address our customer's challenges. Equipment systems designed to give our customers the confidence they need to embrace fresh perspectives and seize new opportunities. So every day we strive to design foodservice equipment solutions that are as intuitive and efficient as they are dependable — helping our customers achieve a greater return on their investment and enabling their creativity to flourish. Because we earn our reputation helping our customers earn theirs. With headquarters and manufacturing in Menomonee Falls, Wisconsin, Alto-Shaam proudly provides foodservice equipment solutions made in the USA to more than 90 countries globally.



# OUR STORY

# 1960s



Jerry Maahs, founder, seeking a way to keep fried chicken hot for delivery during Wisconsin winters, uses thermal cables to create innovative holding cabinets. Halo Heat<sup>®</sup> debuts at the 1968 National Restaurant Association Show.

# 1980s



Evolving into a forward-thinking company that offers complete kitchen systems results in dramatic growth and expansion, performing installations everywhere, from cruise lines to Antarctica.

What began as an experiment with the overnight cooking of prime rib leads to the creation of an entirely new category of commercial kitchen equipment: **Cook & Hold with exclusive Halo Heat technology.** 

1970s







Seeing a growing need for modern kitchens to become ever more versatile and efficient, Alto-Shaam fills that need with the groundbreaking **Combitherm® oven.** 

# 1990s

Recognizing the industrychanging potential of Structured Air Technology," Alto-Shaam partners with Phil McKee, founder and CEO of Appliance Innovation, to develop the revolutionary line of **Vector® Multi-Cook Ovens.** 

# **TABLE OF CONTENTS**

### **OVENS**

| Vector <sup>®</sup> Multi-Cook Ovens        | 8  |
|---|----|
| Combitherm <sup>®</sup> Combi-Steamer Ovens | 14 |
| Cook & Hold Ovens                           | 20 |
| Cook & Hold Smoker Ovens                    | 26 |
| Rotisserie Ovens                            | 32 |

### **HEATED HOLDING**

| Drawer Warmers                     | 38 |
|------------------------------------|----|
| Holding Cabinets                   | 40 |
| Banquet Carts                      | 42 |
| Merchandisers & Display Cases      | 44 |
| Food Wells                         | 52 |
| Carving Stations & Thermal Shelves | 58 |
|                                    |    |

### CHILLERS

| Quickchiller | Blast Chillers | 6 | 0 |
|--------------|----------------|---|---|
|              |                |   |   |



# **VECTOR**<sup>®</sup> MULTI-COOK OVENS

# Unmatched food volume and variety.

The secret to more food, more often with the highest quality lies in **Structured Air Technology®**. This innovation offers up to four ovens in one – each chamber with independent temperature, fan speed and cook time control. Cook up to four different food items simultaneously with no flavor transfer.



# Vector Multi-Cook Ovens

### Unmatched Food Volume.

Vector cooks twice as much food in the same amount of time as traditional ovens.

### Unmatched Variety.

Cook up to four different food items simultaneously – with zero flavor transfer. Control temperature, fan speed and cook time in each chamber.

### **Reduce Skilled Labor.**

10

Eliminate steps in food production and the need for employees to watch and rotate pans.

### Superior Consistency.

Deliver the same high-quality food every time. Structured Air Technology® provides superior cooking evenness and food quality. No food degradation. No hot and cold spots.

### Advanced Control.

Designed intentionally simple, an intuitive, user-friendly interface features programmable recipes to ensure consistency with each cook.

### Open the Door as Needed.

Vertical curtains of air nearly eliminate heat loss. No blast of hot air. Cooler door. Quicker recovery times.

### Waterless Operation.

Reduce installation and operating costs. No plumbing, drains, filtration or associated maintenance.



### 2 Chamber H-Series (Available in Deluxe or Simple Control)

MODEL NUMBER VMC-H2H

2 Full-Size Hotel Pans 20-3/4" x 12-3/4" x 4"

> 2 GN 1/1 Pans [530 mm x 325 mm x 100 mm] 2 Half-Size Sheet Pans 18" x 13" x 1"

**Vector** Multi-Cook Ovens | H Series

- Replace or relieve multiple pieces of equipment. These ovens do the job of microwave and speed ovens, grills, conveyor ovens, salamanders and more – with better food quality all in a small space.

- Ventless. Compact. 21" (533mm) footprint with 2, 3, or 4 chambers.

- Custom colors available for enhanced branding and a front-of-house experience for customers.



### 3 Chamber H-Series (Available in Deluxe or Simple Control)

MODEL NUMBER VMC-H3H

3 Full-Size Hotel Pans 20-3/4" x 12-3/4" x 4" 3 GN 1/1 Pans [530 mm x 325 mm x 100 mm] 3 Half-Size Sheet Pans 18" x 13" x 1" 3 GN 2/3 Pans [354 mm x 325 mm x 25 mm]



\* Steam Table Pans = [20 x 12] \* G/N 1/1 Pans = [530mm x 325mm]



### **4 Chamber H-Series** [Available in Deluxe or Simple Control]

MODEL NUMBER VMC-H4H

4 GN 1/1 Pans [530 mm x 325 mm x 100 mm] 4 Half-Size Sheet Pans 18" x 13" x 1" 4 GN 2/3 Pans [354 mm x 325 mm x 25 mm]

### CAPACITY DIMENSIONS

2 GN 2/3 pans [354 mm x 325 mm x 25 mm]

DIMENSIONS H X W X D 29-5/8" x 21" x 39-1/2" [752 mm x 533 mm x 1003 mm] SHIPPING WEIGHT

355 lb [161 kg] VOLTAGES

208-240V, 1 Ph, 60 Hz 220-240V, 1 Ph, 50/60 Hz 380-415V, 3 Ph, 50/60 Hz

NET WEIGHT 295 lb [134 kg]

### CAPACITY DIMENSIONS

DIMENSIONS H X W X D 36-5/8" x 21" x 39-1/2" [929 mm x 533 mm x 1003 mm]

SHIPPING WEIGHT 445 lb [202 kg] VOLTAGES

208-240V, 1 Ph, 60 Hz 208-240V, 3 Ph 60 Hz 220-240V, 1 Ph, 50/60 Hz 380-415V, 3 Ph, 50/60 Hz NET WEIGHT

377 lb [171 kg]

### CAPACITY DIMENSIONS

4 Full-Size Hotel Pans 20-3/4" x 12-3/4" x 4"

DIMENSIONS H X W X D 43-5/8" x 21" x 39-1/2" (1108 mm x 533 mm x 1003 mm)

SHIPPING WEIGHT 502 lb [228 kg]

VOLTAGES 208-240V, 3 Ph, 60 Hz 380-415V, 3 Ph, 50/60 Hz

NET WEIGHT 443 lb [201 kg]

# **Vector** Multi-Cook Ovens | F Series

- Save valuable kitchen space.

- One Vector F Series oven increases capacity and can replace two traditional ovens with 3 or 4 chambers.
- Adapts to your needs. Cook taller food items by time or probe by combining lower chambers.









12

### VMC-F3E

### MAXIMUM PAN CAPACITY

6 Full-Size Steam Table Pans 4" or 6 GN 1/1 pans 100mm or 3 Full-Size Sheet Pans

### DIMENSIONS H x W X D

32-1/4" × 40-3/4" × 42-1/2" (820mm x 1036mm x 1078mm)

SHIPPING WEIGHT 575 lb (261 kg)

VOLTAGES 208-240V, 3Ph, 60Hz 380-415V, 3Ph, 50/60Hz

NET WEIGHT 472 lb [214 kg]

### VMC-F4E

### MAXIMUM PAN CAPACITY

8 Full-Size Steam Table Pans 4" or 8 GN 1/1 pans 100mm or 4 Full-Size Sheet Pans

### DIMENSIONS H x W x D

39-3/8" x 40-3/4" x 42-1/2" [998mm x 1036mm x 1078mm]

SHIPPING WEIGHT 705 lb [320 kg]

VOLTAGES 208-240V, 3Ph, 60Hz 380-415V, 3Ph, 50/60Hz

NET WEIGHT 599 lb [272 kg]

### PAN DIMENSIONS

\* Steam Table Pans = [20 x 12] \* G/N 1/1 Pans = [530mm x 325mm] \* Full-Size Sheet Pans = [26 x 18 x 1]

# **COMBITHERM**<sup>®</sup> COMBI STEAMER OVENS

# A new standard of cooking excellence.

# **Combitherm<sup>®</sup> Ovens** | CT PROformance<sup>™</sup> Models

### Why CT PROformance? Explore what sets us above the rest.

### Zero Clearance Design.

Saves valuable space under the exhaust hood and reduces ventilation costs.

### PROpower™ Technology.

20% faster than other combi ovens and up to 80% faster than convection technology. Enhanced production. Improved temperature control. Quicker recovery times.

### 80% Less Water Usage.

Boilerless design provides superior performance, improved reliability, and less maintenance costs associated with boiler parts and labor.

### Seamlessly-Integrated Smoker.

Use optional CombiSmoke® to hot or cold smoke with real wood chips. No odor or flavor residue. No impact on oven capacity, door seal or oven performance.

### **Detachable Food Probe.**

Easily calibrated. Designed to break away for easy replacement, greater reliability and reduced oven downtime and repair costs. Sous vide probe optional.

### **LED Illuminated Door Handle.**


Designed for the needs of the busy kitchen. Provides visual notification of the oven status.

### Front-Accessible, Retractable **Rinse Hose.**

PROrinse™ high-efficiency spray head.

### Keep Employees Safe.

Safevent<sup>™</sup> venting system automatically vents heat and steam during the last 60 seconds of the cooking cycle. Open the door as soon as the cooking cycle ends without exposure to heat and steam.





# Combitherm Combi-Steamer Ovens<sup>®</sup> | CT PROformance<sup>™</sup>



t This oven has earned an ENERGY STAR® rating from the U.S. Environmental Protection Agency.



Available with or without stand



CTP6-10 [Available in Electric or Gas]

### MAXIMUM PAN CAPACITY

7 Half-Size Sheet Pans

7 Full-Size Steam Table Pans or 7 GN 1/1 Pans or

### VOLTAGES

120V, 1Ph, 60Hz [Gas Only] 208-240V, 1Ph, 50/60Hz 208-240V, 3Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz 440-480V, 3Ph, 50/60Hz

### DIMENSIONS H x W x D 35-1/8" x 35-11/16" x 41-7/16" [892mm x 906mm x 1053mm]

SHIPPING WEIGHT 608 lb [276 kg]

### NET WEIGHT 524 lb [238 kg] estimated

PRODUCT CAPACITY 72 lb [33 kg]

# Available with or without stand



Available with or without stand

Available with

or without stand



### CTP10-10 [Available in Electric or Gas]

MAXIMUM PAN CAPACITY 11 Full-Size Steam Table Pans or 11 GN 1/1 Pans or 11 Half-Size Sheet Pans

### VOLTAGES

120V, 1Ph, 60Hz [Gas Only] 208-240V, 1Ph, 50/60Hz 208-240V, 3Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz 440-480V, 3Ph, 50/60Hz

### **DIMENSIONS H x W x D** 45-11/16" x 35-11/16" x 41-7/16"

[1160mm x 906mm x 1053mm]

SHIPPING WEIGHT 695 lb [315 kg]

NET WEIGHT 625 lb [283 kg] estimated

**PRODUCT CAPACITY** 120 lb [54 kg]

DIMENSIONS H x W x D

680 lb (308 kg) Electric

660 lb (300 kg) Gas

PRODUCT CAPACITY

SHIPPING WEIGHT

728 lb (330 kg)

NET WEIGHT

168 lb (76 kg)

### t CTP7-20 [Available in Electric or Gas]

### MAXIMUM PAN CAPACITY

8 Full-Size Sheet Pans

 16 Full-Size Steam Table Pans or
 37-13/16" x 43-3/4" x 46-3/16"

 16 GN 1/1 Pans or
 [961mm x 1111mm x 1173mm]

### VOLTAGES

120V, 1Ph, 60Hz [Gas Only] 208-240V, 1Ph, 50/60Hz 208-240V, 3Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz 440-480V, 3Ph, 50/60Hz

### PAN DIMENSIONS

\* Steam Table Pans = [20 x 12 x 2.5]

\* Full-Size Sheet Pans = [26 x 18]

\* Half-Size Sheet Pans = [18 x 13]

\* G/N 1/1 Pans = (530mm x 325mm x 65mm)

\* G/N 2/1 Pans = (650mm x 530mm x 65mm)





### + CTP10-20 (Available in Electric or Gas)

### MAXIMUM PAN CAPACITY

22 Full-Size Steam Table Pans or 22 GN 1/1 Pans or 11 Full-Size Sheet Pans

### VOLTAGES

120V, 1Ph, 60Hz [Gas Only] 208-240V, 1Ph, 50/60Hz [Gas Only] 208-240V, 3Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz 440-480V, 3Ph, 50/60Hz **DIMENSIONS H x W x D** 45-11/16" x 43-3/4" x 46-3/16" (1160mm x 1111mm x 1173mm)

**SHIPPING WEIGHT** 805 lb [365 kg]

**NET WEIGHT** 760 lb (345 kg) estimated

**PRODUCT CAPACITY** 240 lb [109 kg]

### CTP20-10 [Available in Electric or Gas]

### MAXIMUM PAN CAPACITY

20 Full-Size Steam Table Pans or 20 GN 1/1 Pans or 20 Half-Size Sheet Pans

### VOLTAGES

120V, 1Ph, 60Hz [Gas Only] 208-240V, 1Ph, 50/60Hz [Gas Only] 208-240V, 3Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz 440-480V, 3Ph, 50/60Hz **DIMENSIONS H x W x D** 79-1/4" x 35-11/16" x 42-1/4" [2012mm x 906mm x 1072mm]

**SHIPPING WEIGHT** 1175 lb [533 kg] Gas 1052 lb [477 kg] Electric

NET WEIGHT 905 lb (411 kg) estimated

PRODUCT CAPACITY 240 lb [109 kg]

### t CTP20-20 [Available in Electric or Gas]

### MAXIMUM PAN CAPACITY

40 Full-Size Steam Table Pans or 40 GN 1/1 Pans or 20 Full-Size Sheet Pans

### VOLTAGES

120V, 1Ph, 60Hz [Gas Only] 208-240V, 1Ph, 50/60Hz [Gas Only] 208-240V, 3Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz 440-480V, 3Ph, 50/60Hz DIMENSIONS H x W x D

79-1/4" x 43-3/4" x 47" [2012mm x 1111mm x 1192mm]

**SHIPPING WEIGHT** 1157 lb (525 kg) Electric 1250 lb (567 kg) Gas

NET WEIGHT 1100 lb (499 kg) estimated

**PRODUCT CAPACITY** 480 lb [218 kg]

# **Combitherm Combi-Steamer Ovens**<sup>®</sup> | CT Express<sup>®</sup>

The compact oven that makes a huge impact.

- Compact footprint maximizes kitchen space, performance & flexibility.
- Reduce Labor with CombiCleanPLUS™ automatic cleaning with four cycle options. Uses safe, convenient cleaning tablets.
- Seamlessly-integrated smoker with optional CombiSmoke®.
- Place anywhere. Optional ventless hood and catalytic converter filter oven cavity air, eliminating the need for expensive hood restrictions.
- ExpressTouch<sup>™</sup> control allows for simple use and navigation, customizable recipe management, and intuitive one-touch-cooking.
- Two-speed reversing fan provides enhanced cooking performance while preventing excessive water and power consumption.

- Hand-held sprayer can be used in steaming, adding water to dishes or rinsing the oven cavity.
- Gold-n-Brown™ feature provides humidity control for ideal quality and food finish.
- Enhanced control with the optional broiler element for new recipe applications and finishing dishes.
- Customizable branding. Select a standard stainless steel exterior or choose from a custom color palette to match décor.



....

3 Full-Size Steam Table 4" or 5 Full-Size Steam Table 2-1/2" or 10 Full-Size Steam Table 1-1/4" or

3 Half-Size Sheet 1" or 5 Half-Size Sheet 1" or 10 Half-Size Sheet 1"

### VOLTAGES

208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 208-240V, 3Ph, 60Hz 208-240V, 1Ph, 50Hz 220-240V, 1Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz

### CTX4-10EVH

3 Half-Size Sheet 1" or 5 Half-Size Sheet 1" or 10 Half-Size Sheet 1"

### VOLTAGES

208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 208-240V. 3Ph. 60Hz 208-240V, 1Ph, 50Hz 220-240V, 1Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz

### PAN DIMENSIONS

CTX4-10E w/ Deluxe or Simple Control [CTX4-EC Model also available]

### MAXIMUM PAN CAPACITY

3 GN 1/1 Pans 100mm or 5 GN 1/1 Pans 65mm or 10 GN 1/1 Pans 20mm or

### DIMENSIONS H x W x D

33-1/2" x 24-3/8" x 37-1/4" [851mm x 619mm x 946mm]

SHIPPING WEIGHT 310 lb (141kg)

**NET WEIGHT** 180 lb (188kg)

PRODUCT CAPACITY 48 lb [22 kg]

### MAXIMUM PAN CAPACITY

3 Full-Size Steam Table 4" or 5 Full-Size Steam Table 2-1/2" or 10 Full-Size Steam Table 1-1/4" or

3 GN 1/1 Pans 100mm or 5 GN 1/1 Pans 65mm or 10 GN 1/1 Pans 20mm or

### DIMENSIONS H x W x D

45-1/2" x 24-1/8" x 39-3/8" [1153mm x 612mm x 999mm]

SHIPPING WEIGHT 415 lb (188 kg)

**NET WEIGHT** 260 lb [118 kg]

### PRODUCT CAPACITY 48 lb [22 kg]

# COOK & HOLD OVENS

# Precise, low temperature cooking and holding.

Featuring game changing Halo Heat® technology, Alto Shaam Cook & Hold Ovens are designed to produce better food quality and higher yields. Gentle, radiant Halo Heat evenly surrounds food without the use of extremely hot elements, added humidity or fans. One of the most versatile and efficient pieces of equipment in the industry, Cook & Hold Ovens are engineered to maximize return on investment.



- IOB

# **Cook & Hold Ovens**

# No Fans. No Hood. Just BIG Flavor.

### **Overnight Cooking.**

Start cooking the night before to save on labor costs. Your food will be cooked to perfection and waiting for service the next day.

### **Expand Your Menu.**

With a variety of sizes and options for your kitchen, even the smallest of operations can expand menus by using a Cook & Hold oven to provide consistent results with every batch. Using the programmable features on the deluxe control models, you can store your eight favorite recipes for simple one-touch menu selection.

### Easy to Operate.

Set the holding temperature and the simple control to cook by time or use the probe to cook to a specified temperature with the deluxe control. The oven automatically switches into hold mode when the cook cycle is complete.

### **Greater Food Yields.**

Serve more portions from the same cut of meat to increase your profit margin. Alto-Shaam Cook & Hold ovens have about 18% less protein shrinkage than traditional convection ovens.



.

20



2 Full-Size Steam Table Pans 4" or 3 Full-Size Steam Table Pans 2 1/2" or

VOLTAGES 120V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

### 500-TH-II

3 GN 1/1 100mm or 4 GN 1/1 65mm

### VOLTAGES 120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz

3 Full-Size Steam Table Pans 4" or 4 Full-Size Steam Table Pans 2-1/2" or [809mm x 483mm x 675mm]

3 GN 1/1 100mm or 4 GN 1/1 65mm or

### VOLTAGES 120V, 1Ph, 60Hz 208V, 1Ph, 60Hz

240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

### PAN DIMENSIONS

\* Steam Table Pans = [20 x 12] \* Half-Size Sheet Pans = [18 x 13 x 1]





2 GN 1/1 100mm or 3 GN 1/1 65mm

### 300-TH-III w/ Deluxe Control

### MAXIMUM PAN CAPACITY

DIMENSIONS H x W x D

18-15/16" x 16-13/16" x 25-3/16" [480mm x 426mm x 643mm]

SHIPPING WEIGHT 129 lb (59 kg)

NET WEIGHT 69 lb (31 kg)

PRODUCT CAPACITY 36 lb [16 kg]



### MAXIMUM PAN CAPACITY

3 Full-Size Steam Table Pans 4" or 4 Full-Size Steam Table Pans 2-1/2" or

- 230V, 1Ph, 50/60Hz

### DIMENSIONS H x W x D

31-7/8"" x 19" x 29-9/16" [809mm x 483mm x 675mm]

SHIPPING WEIGHT 166 lb (75 kg)

NET WEIGHT 130 lb (59 kg)

PRODUCT CAPACITY 40 lb [18 kg]

### 500-TH-III w/ Deluxe Control

### MAXIMUM PAN CAPACITY

### DIMENSIONS H x W x D

31-7/8" x 19" x 26-9/16"

SHIPPING WEIGHT 180 lb [82 kg]

NET WEIGHT 140 lb [64 kg]

PRODUCT CAPACITY 40 lb [18 kg]

\* G/N 1/1 Pans = [530mm x 325mm]

# **Cook & Hold Ovens**



-----

22.28

### 750-TH-II

MAXIMUM PAN CAPACITY\* 4 Full-Size Steam Table Pans 6" or 6 Full-Size Steam Table Pans 4" or 10 Full-Size Steam Table Pans 2-1/2" or

4 GN 1/1 150mm or 6 GN 1/1 100mm or 10 GN 1/1 65mm or

6 Full-Size Sheet Pans

### VOLTAGES

120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

### DIMENSIONS H x W x D

31-7/8" x 26-5/8" x 31-5/8" [809mm x 676mm x 802mm]

SHIPPING WEIGHT 264 lb [120 kg]

NET WEIGHT

194 lb [88 kg]

### PRODUCT CAPACITY

100 lb (45 kg)

### 750-TH-III w/ Deluxe Control

MAXIMUM PAN CAPACITY \* 6 Full-Size Steam Table Pans 4" or 10 Full-Size Steam Table Pans 2-1/2" or [809mm x 676mm x 802mm]

31-7/8" x 26-5/8" x 31-5/8"

6 GN 1/1 100mm or 10 GN 1/1 65mm or

6 Full-Size Sheet Pans

### VOLTAGES

120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V. 1Ph. 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

SHIPPING WEIGHT

NET WEIGHT

192 lb (87 kg)

PRODUCT CAPACITY 100 lb (45 kg)



4 Full-Size Steam Table Pans 2-1/2" or 4 GN 1/1 65mm or 8 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

### 1000-TH-I

[PER COMPARTMENT]

8 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

(PER COMPARTMENT)

4 GN 1/1 65mm\* or

VOLTAGES

### PAN DIMENSIONS

\* Steam Table Pans =  $[20 \times 12 \times 2.5]$ \* Half-Size Sheet Pans = [18 x 13 x 1]



### 1000-TH-II

MAXIMUM PAN CAPACITY 4 Full-Size Steam Table Pans 2-1/2"\* or 4 GN 1/1 65mm\* or

8 Full-Size Sheet Pans

VOLTAGES 120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

### DIMENSIONS H x W x D 40-3/16" x 23-1/2" x 31-5/8"

[1021mm x 597mm x 802mm] SHIPPING WEIGHT

275 lb [125 kg] NET WEIGHT


200 lb [91 kg]

PRODUCT CAPACITY 120 lb [54 kg]









DIMENSIONS H x W x D

260 lb [118 kg]



### 1000-TH-III w/ Deluxe Control

### MAXIMUM PAN CAPACITY \*

### DIMENSIONS H x W x D

40-3/16" x 23-1/2" x 31-5/8" [1021mm x 597mm x 802mm]

SHIPPING WEIGHT 275 lb [125 kg]

NET WEIGHT 230 lb [104 kg] PRODUCT CAPACITY

120 lb (54 kg)



### MAXIMUM PAN CAPACITY \*

4 Full-Size Steam Table Pans 2-1/2" or 4 GN 1/1 65mm or

### DIMENSIONS H x W x D

75-5/8" x 23-15/16" x 31-5/8" [1920mm x 608mm x 802mm]

SHIPPING WEIGHT 435 lb (197 kg)

NET WEIGHT 346 lb (157 kg)

PRODUCT CAPACITY 120 lb [54 kg] per compartment

### 1200-TH-III w/ Deluxe Control

### MAXIMUM PAN CAPACITY

4 Full-Size Steam Table Pans 2-1/2"\* or

8 Full-Size Sheet Pans

208-240V, 1Ph, 60Hz 240V, 1Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz

\* Additional shelves required

### DIMENSIONS H x W x D

75-5/8" x 23-15/16" x 31-5/8" [1920mm x 608mm x 802mm]

SHIPPING WEIGHT 435 lb [197 kg]

NET WEIGHT 345 lb (156 kg)

PRODUCT CAPACITY 120 lb [54 kg] per compartment

\* G/N 1/1 Pans = (530mm x 325mm x 65mm)

# **COOK & HOLD** SMOKER OVENS Introduce bold flavor.

Introducing unique new tastes to your menu is made simple with Alto-Shaam Cook & Hold Smoker Ovens. They provide an almost effortless way to utilize a time-honored technique that infuses bold flavors into food. All without added sodium, fats or sugar. Elevate ordinary ingredients with either hot or cold smoking.



### **Cook & Hold Smoker Ovens**



000501

### 767-SK

MAXIMUM PAN CAPACITY 5 Full-Size Steam Table Pans 4" or 9 Full-Size Steam Table Pans 2-1/2" or [848mm x 676mm x 802mm]

5 GN 1/1 100mm or 9 GN 1/1 65mm or

5 Full-Size Sheet Pans\*

### VOLTAGES

120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

# 767-SK-III

MAXIMUM PAN CAPACITY 5 Full-Size Steam Table Pans 4" or 9 Full-Size Steam Table Pans 2-1/2" or

5 GN 1/1 100mm or 9 GN 1/1 65mm or

5 Full-Size Sheet Pans\*

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

SHIPPING WEIGHT 265 lb [120 kg]

DIMENSIONS H x W x D

33-3/8" x 26-5/8" x 31-5/8"

197 lb (89 kg) PRODUCT CAPACITY 100 lb (45 kg)

NET WEIGHT

DIMENSIONS H x W x D 33-3/8" x 26-5/8" x 31-5/8"

[848mm x 676mm x 802mm]

SHIPPING WEIGHT 283 lb [128 kg]\*

NET WEIGHT

PRODUCT CAPACITY 100 lb (45 kg)

190 lb (86 kg)



1000-SK-II

MAXIMUM PAN CAPACITY 3 Full-Size Steam Table Pans 2-1/2"\* or 3 GN 1/1 65mm\* or

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

### 1000-SK-III

MAXIMUM PAN CAPACITY 3 Full-Size Steam Table Pans 2-1/2"\* or 3 GN 1/1 65mm\* or 7 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

1767-SK

MAXIMUM PAN CAPACITY [PER COMPARTMENT]

5 Full-Size Steam Table Pans 4" or 9 Full-Size Steam Table Pans 2-1/2" 5 GN 1/1 100mm or

5 Full-Size Sheet Pans\*

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

### PAN DIMENSIONS

\* Steam Table Pans =  $[20 \times 12 \times 2.5]$ \* Half-Size Sheet Pans = (18 x 13 x 1)









7 Full-Size Sheet Pans

### DIMENSIONS H x W x D

40-3/16" x 23-1/2" x 31-5/8" [1021mm x 597mm x 802mm]

### SHIPPING WEIGHT 282 lb [101 kg] NET WEIGHT

203 lb (92 kg)

PRODUCT CAPACITY 120 lb (54 kg)

### DIMENSIONS H x W x D

40-3/16" x 23-1/2" x 31-5/8" [1021mm x 597mm x 802mm]

SHIPPING WEIGHT 203 lb (92 kg)

NET WEIGHT 120 lb (54 kg)

PRODUCT CAPACITY 120 lb (54 kg)

9 GN 1/1 65mm or

### DIMENSIONS H x W x D 61-15/16" x 27-1/16" x 32-3/4" [1572mm x 686mm x 832mm]

SHIPPING WEIGHT 450 lb (204 kg)

### NET WEIGHT 356 lb [161 kg]

PRODUCT CAPACITY 100 lb (45 kg) per compartment

\* G/N 1/1 Pans = (530mm x 325mm x 65mm)

# Cook & Hold | Smoker Ovens



(200 6 ° 0 · 0 · 0

### 1767-SK-III

### MAXIMUM PAN CAPACITY (PER COMPARTMENT)

9 Full-Size Steam Table Pans 2-1/2" 5 Full-Size Steam Table Pans 4" or

5 GN 1/1 100mm or 5 Full-Size Sheet Pans\*

9 GN 1/1 65mm or

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz

230V, 1Ph, 50/60Hz \* Additional shelves required

DIMENSIONS H x W x D 61-15/16" x 27-1/16" x 32-3/4" [1572mm x 686mm x 832mm]

SHIPPING WEIGHT 450 lb [204 kg]

NET WEIGHT 359 lb [163 kg]

PRODUCT CAPACITY 100 lb [45 kg] per compartment

### 1000-SK-I

MAXIMUM PAN CAPACITY [PER COMPARTMENT]

3 Full-Size Steam Table Pans 2-1/2"\* or [1920mm x 608mm x 819mm]

7 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

3 GN 1/1 65mm\* or

\* Additional shelves required

DIMENSIONS H x W x D 75-5/8" x 23-15/16" x 32-1/4"

SHIPPING WEIGHT 445 lb [202 kg]

NET WEIGHT 377 lb [171 kg]

PRODUCT CAPACITY 120 lb (54 kg) per compartment

### 1200-SK-III

MAXIMUM PAN CAPACITY [PER COMPARTMENT]

3 Full-Size Steam Table Pans 2-1/2"\* or

3 GN 1/1 65mm\* or

7 Full-Size Sheet Pans

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

DIMENSIONS H x W x D 75-5/8" x 23-15/16" x 32-1/4" [1920mm x 608mm x 819mm]]

SHIPPING WEIGHT 465 lb [211 kg]

NET WEIGHT 390 lb [177 kg]

PRODUCT CAPACITY 120 lb (54 kg) per compartment



# **ROTISSERIE OVENS**

# Deliciously fast and efficient.

Alto-Shaam's self-cleaning rotisserie ovens stand out in the kitchen—and the industry. They deliver quicker cooking times, lower energy consumption and more cleaning options. All of which combine to deliver a faster return on investment. Chickens are just the beginning, though. Our rotisserie ovens can be used to cook pork loin, turkey breast, meatloaf, ribs, vegetables and more. Plus, Alto-Shaam's innovative automatic holding mode allows food to rest in the oven and enhance the appearance of your display.



### **Rotisserie Ovens**



### AR-7T with Self Cleaning [Available in Curved glass door\* or Flat]

PRODUCT CAPACITY Angled Spits (Standard) Up to [21] 3-1/2 lb chickens [1,6 kg] Up to [28] 2-1/2 to 3 lb chickens (1.1 to 1.4 kg)

Piercing Spits (Optional) Up to [28] 2-1/2 to 3-1/2 lb chickens [1.1 to 1.6 kg]

### Turkey Spit (Optional) (up to 3 spits can be used) One [1] turkey up to 25 lb [11.3 kg] on each spit

### Basket (Optional) Up to [21] 3 to 3-1/2 lb chickens

[1.1 to 1.6 kg] Large V-Spit (Optional)

Up to [14] 7 lb chickens [3.2 kg]

40-5/8" x 43-3/4" x 32-1/4"\* [1032mm x 1113mm x 818mm] SHIPPING WEIGHT

DIMENSIONS H x W x D

440 lb [200 kg]

NET WEIGHT 361 lb (164 kg)

VOLTAGES 208V. 1Ph. 60Hz 240V, 1Ph, 60Hz 208V, 3Ph, 60Hz 380-415V, 3Ph, 50/60Hz 240V, 3Ph, 60Hz

### AR-7HT Holding Cabinet (Available in Curved glass door\* or Flat)

PRODUCT CAPACITY 98 lb [44 kg] 24 chicken boats: 6 per shelf

8 full-size sheets 18" x 26" x 1" [457mm x 660mm x 25mm]\*

16 half-size sheets 18" x 13" x 1" [457mm x 330mm x 25mm]\*

\* With additional wire shelves

40-3/4" x 43-1/8" x 32"\*

SHIPPING WEIGHT

NET WEIGHT

VOLTAGES 120V, 1Ph, 60Hz 208-240V, 1Ph, 60Hz



Shown in Custom Color Option

AR-7E (Available in Curved glass door\* or Flat)

[1,1 to 1,4 kg] [1,1 to 1,6 kg]

Turkey Spit (Optional) on each spit

PRODUCT CAPACITY 60 lb (27 kg) maximum

[1.1 to 1.4 kg]

[1.1 to 1.6 kg]

on each spit









DIMENSIONS H x W x D

[1036mm x 1095mm x 813mm]

400 lb [181 kg]

321 lb [146 kg]

230V, 1Ph, 50/60Hz



Shown in Custom Color Option

### PRODUCT CAPACITY Angled Spits (Standard) Up to [21] 3-1/2 lb chickens [1,6 kg] Up to [28] 2-1/2 to 3 lb chickens

Piercing Spits (Optional) Up to [28] 2-1/2 to 3-1/2 lb chickens

### (up to 3 spits can be used) One [1] turkey up to 25 lb [11 kg]

### DIMENSIONS H x W x D

40-1/4" x 39-1/16 x 32-1/8" [1022mm x 992mm x 815mm]

### SHIPPING WEIGHT 451 lb [205 kg]

NET WEIGHT 361 lb (164 kg)

VOLTAGES 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 208V, 3Ph, 60Hz 380-415V, 3Ph, 50/60Hz 240V, 3Ph, 60Hz

### AR-7H Holding Cabinet [Available in Curved glass door\* or Flat]

24 Chicken boats: 6 per shelf

8 full-size sheets 18" x 26" x 1" [457mm x 660mm x 25mm]\*

16 half-size sheets 18" x 13" x 1" [457mm x 330mm x 25mm]\* DIMENSIONS H x W x D 40-1/2" × 38-1/8" × 32-1/16"\* [1028mm x 968mm x 814mm]

SHIPPING WEIGHT 319 lb [145 kg]

NET WEIGHT 269 lb [122 kg]

### VOLTAGES 120V, 1Ph, 60Hz

208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

AR-7EVH [Available in Curved glass door\* or Flat]

## PRODUCT CAPACITY

Angled Spits (Standard) Up to [21] 3-1/2 lb chickens [1,6 kg] Up to [28] 2-1/2 to 3 lb chickens

Piercing Spits (Optional) Up to [28] 2-1/2 to 3-1/2 lb chickens

### Turkey Spit (Optional) (up to 3 spits can be used) One [1] turkey up to 25 lb [11 kg]

### DIMENSIONS H x W x D

54" x 39-1/16 x 32"\* [1371mm x 992mm x 813mm]

### SHIPPING WEIGHT 568 lb (258 kg)

NET WEIGHT 481 lb [218 kg]

### VOLTAGES

208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 208V, 3Ph, 60Hz 380-415V. 3Ph. 50/60Hz 240V, 3Ph, 60Hz

# **HEATED HOLDING**

# Time stands still.

Keeping food that has been cooked to perfection hot until the moment it is served demands the gentle precision of Alto-Shaam's Halo Heat® technology. With controlled temperatures and a closed environment free from forced air and added humidity, food is kept warm and flavorful, just as intended. With a wide variety of sizes and styles available, any size operation can maximize quality and minimize food waste with Alto-Shaam heated holding equipment.



## Heated Holding | Drawers



### 500-1D

MAXIMUM PAN CAPACITY 1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm

VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D 11-5/8" x 24-5/8" x 25-7/8" [296mm x 624mm x 657mm]

SHIPPING WEIGHT 90 lb [41 kg]

**NET WEIGHT** 

80 lb [36 kg] PRODUCT CAPACITY 41 lb (19 kg) maximum

DIMENSIONS H x W x D

11-5/8" x 16-11/16" x 31-3/16"

[296mm x 423mm x 792mm]

### 500-1DN

MAXIMUM PAN CAPACITY 1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm

VOLTAGES 120V, 1Ph, 50/60Hz 208-240V. 1Ph. 50/60Hz 230V. 1Ph. 50/60Hz

SHIPPING WEIGHT 75 lb [34 kg]

NET WEIGHT 67 lb [30 kg] PRODUCT CAPACITY

41 lb (19 kg) maximum

DIMENSIONS H x W x D

SHIPPING WEIGHT 125 lb (57 kg)

PRODUCT CAPACITY

41 lb (19 kg) maximum

NET WEIGHT

115 lb (52 kg)

18-15/16" x 24-5/8" x 25-7/8" [481mm x 624mm x 657mm]

### 500-2D

MAXIMUM PAN CAPACITY (PFR DRAWFR) 1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm

VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

### 500-2DN

MAXIMUM PAN CAPACITY [PER DRAWER] 1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm

VOLTAGES 120V, 1Ph, 50/60Hz 208-240V. 1Ph. 50/60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D 18-15/16" x 16-11/16" x 31-3/16" [481mm x 423mm x 792mm]

SHIPPING WEIGHT 112 lb (51 kg)

NET WEIGHT 100 lb (45 kg)

PRODUCT CAPACITY 41 lb (19 kg) maximum



.....

## 500-3D

[PER DRAWER]

VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

### 500-3DN

(PER DRAWER) 1 GN 1/1 Pan 152mm

> VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz



[PER DRAWER] 1 GN 1/1 Pan 152mm

VOLTAGES 120V, 1Ph, 60Hz 208-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

38

1.000

### MAXIMUM PAN CAPACITY

1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm

### DIMENSIONS H x W x D

26-1/8" x 24-5/8" x 25-7/8" [664mm x 624mm x 657mm]

SHIPPING WEIGHT 165 lb (75 kg)

**NET WEIGHT** 150 lb (68 kg) PRODUCT CAPACITY 41 lb (19 kg) maximum

### MAXIMUM PAN CAPACITY

1 Full-Size Steam Table Pan 6" or

DIMENSIONS H x W x D 26-1/8" x 16-11/16" x 31-3/16" [664mm x 423mm x 792mm]

SHIPPING WEIGHT 145 lb (66 kg)

NET WEIGHT 130 lb (59 kg)

PRODUCT CAPACITY 41 lb (19 kg) maximum

## Heated Holding | Individual Temp Control Drawers

### 500-2DI (Individual Temperature Controls)

### MAXIMUM PAN CAPACITY

1 Full-Size Steam Table Pan 6" or

DIMENSIONS H x W x D 19-15/16" x 24-5/8" x 25-7/8" [491mm x 624mm x 657mm]

SHIPPING WEIGHT 125 lb (57 kg)

NET WEIGHT 115 lb (52 kg)

PRODUCT CAPACITY 41 lb (19 kg) maximum

## Heated Holding | Cabinets









### 300-S

MAXIMUM PAN CAPACITY 2 Full-Size Steam Table Pans 4" or 3 Full-Size Steam Table Pans 2 1/2" or

2 GN 1/1 100mm or 3 GN 1/1 65mm

VOLTAGES 120V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz SHIPPING WEIGHT 125 lb (57 kg) NET WEIGHT 65 lb [29 kg]

DIMENSIONS H x W x D

18-3/8" x 17-7/16" x 25-3/8"

[466mm x 443mm x 645mm]

PRODUCT CAPACITY 36 lb [16 kg]

### 500-S

MAXIMUM PAN CAPACITY 6 Full-Size Steam Table Pans 2-1/2" or

3 Full-Size Steam Table Pans 4" or

6 GN 1/1 65mm or 3 GN 1/1 100mm or

11 Half-Size Sheet Pans

VOLTAGES 120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V. 1Ph. 50/60Hz

### 750-S

### MAXIMUM PAN CAPACITY

4 Full-Size Steam Table Pans 6" or 6 Full-Size Steam Table Pans 4" or 10 Full-Size Steam Table Pans 2-1/2" or

4 GN 1/1 150mm or 6 GN 1/1 100mm or 10 GN 1/1 65mm or

6 Full-Size Sheet Pans\*

VOLTAGES 120V. 1Ph. 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V. 1Ph. 50/60Hz

\* Additional shelves required

### 1000-S

### MAXIMUM PAN CAPACITY

4 Full-Size Steam Table Pans 2-1/2"\* or 4 GN 1/1 65mm\* or

8 Full-Size Sheet Pans

VOLTAGES 120V, 1Ph, 60Hz

208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* Additional shelves required

### DIMENSIONS H x W x D 40-3/8" x 23-1/2" x 31-9/16"

[1025mm x 597mm x 801mm]

SHIPPING WEIGHT 223 lb [101 kg]

NET WEIGHT 175 lb (79 kg) PRODUCT CAPACITY

120 lb (54 kg)









### 1200-S

### MAXIMUM PAN CAPACITY WITH PAN SLIDES

16 GN 1/1 65mm\* or 8 GN 1/1 100mm or 8 GN 1/1 150mm or

16 Full-Size Sheet Pans\*

### WITH SIDE RACKS & SHELVES

16 Full-Size Steam Table Pans 2-1/2" or 8 Full-Size Steam Table Pans 4" or 8 Full-Size Steam Table Pans 6" or

16 GN 1/1 65mm or 8 GN 1/1 100mm or 8 GN 1/1 150mm or

8 Full-Size Sheet Pans\*\*

MAXIMUM PAN (PER COMPARTMENT)

4 Full-Size Steam

4 GN 1/1 65mm\*

8 Full-Size Sheet

VOLTAGES 120V. 1Ph. 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

### 1200-UP

MAXIMUM PAN CAPACITY (PER COMPARTMENT) WITH PAN SLIDES

16 Full-Size Steam Table Pans 2-1/2"\*or 8 Full-Size Steam Table Pans 4" or 8 Full-Size Steam Table Pans 6" or

16 GN 1/1 65mm\* or 8 GN 1/1 100mm or 8 GN 1/1 150mm or

16 Full-Size Sheet Pans\*

### WITH SIDE RACKS & SHELVES

16 Full-Size Steam Table Pans 2-1/2" or 8 Full-Size Steam Table Pans 4" or 8 Full-Size Steam Table Pans 6" or

16 GN 1/1 65mm or 8 GN 1/1 100mm or 8 GN 1/1 150mm or

8 Full-Size Sheet Pans\*\*

### PAN DIMENSIONS

\* Steam Table Pans = (20 x 12 x 2-1/2) \* Half-Size Sheet Pans = [18 x 13 x 1]





DIMENSIONS H x W x D 31-7/8" x 19" x 26-9/16" [809mm x 483mm x 675mm]

SHIPPING WEIGHT 150 lb (68 kg)

NET WEIGHT 110 lb (50 kg)

> PRODUCT CAPACITY 60 lb [27 kg]

DIMENSIONS H x W x D

31-7/8" x 26-5/8" x 31-3/8" [809mm x 676mm x 797mm]

SHIPPING WEIGHT 228 lb [103 kg]



PRODUCT CAPACITY 120 lb (54 kg)

16 Full-Size Steam Table Pans 2-1/2"\*or 8 Full-Size Steam Table Pans 4" or 8 Full-Size Steam Table Pans 6" or

### DIMENSIONS H x W x D

44" x 26-7/16" x 32-3/16" (1117mm x 671mm x 817mm)

### SHIPPING WEIGHT 240 lb [109 kg]

NET WEIGHT 179 lb (81 kg) PRODUCT CAPACITY 192 lb (87 kg)

\* With additional sets of pan slides

\*\*Optional shelves required

### VOLTAGES

120V, 1Ph, 60Hz 208V (1000w), 1Ph, 60Hz 240V [1000 w], 1Ph, 60Hz 208V [2000w], 1Ph, 60Hz 240V (2000w), 1Ph, 60Hz 230V, 1Ph, 50/60Hz

### 1000-UP [Also available with window door]

| CAPACITY               | DIMENSIONS H x W x D  |
|------------------------|---|
| n Table Pans 2-1/2"*or | 75-13/16" x 23-15/16" x 32-11/16"<br>[1924mm x 608mm x 804mm] |
| * Or                   | SHIPPING WEIGHT   |
| et Pans                | 360 lb [163 kg]   |
|                        | NET WEIGHT<br>282 lb [128 kg]                                 |
| -                      | 360 lb [163 kg]   |

PRODUCT CAPACITY 120 lb (54 kg) per compartment

\*Optional shelves required

DIMENSIONS H x W x D 75-13/16" x 26-7/16" x 32-3/16" [1924mm x 671mm x 817mm]

SHIPPING WEIGHT 393 lb [178 kg]

NET WEIGHT 333 lb [151 kg]

PRODUCT CAPACITY 192 lb (87 kg) per compartment

### VOLTAGES

120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

\* With additional sets of pan slides

\*\*Optional shelves required

\* Full-Size Sheet Pans = (18 x 26 x 1) \* G/N 1/1 Pans = [530mm x 325mm x 65mm]

41

# **Heated Holding** | Banquet Carts & Warmers





Shown with split door option

### 1000-BQ2-96

### MAXIMUM CAPACITY

PLATES [96] 9" to 10" Plates (96) 229mm to 254mm Plates

PANS [32] Full-Size Steam Table Pans 2-1/2" or

(32) GN 1/1 65mm

### VOLTAGES

120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V. 1Ph. 60Hz 230V, 1Ph, 50/60Hz

### 1000-BQ2-128

MAXIMUM CAPACITY

PLATES [128] 9" to 10" Plates (128) 229mm to 254mm Plates

PANS (32) Full-Size Steam Table Pans 2-1/2" Or **NET WEIGHT** (32) GN 1/1 65mm

VOLTAGES 120V. 1Ph. 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz DIMENSIONS H x W x D 67-5/8" x 45-7/8" x 30-13/16" [1716mm x 1164mm x 783mm]

SHIPPING WEIGHT 485 lb [220 kg]

DIMENSIONS H x W x D

SHIPPING WEIGHT

415 lb [188 kg]

NET WEIGHT

322 lb [146 kg]

240 lb [109 kg]

PRODUCT CAPACITY

67-5/8" x 37-15/16" x 30-13/16"

[1716mm x 964mm x 783mm]

370 lb [168 kg]

PRODUCT CAPACITY 320 lb [145 kg]

### 1000-BQ2-192

MAXIMUM CAPACITY

PLATES [192] 9" to 10" Plates (192) 229mm to 254mm Plates

PANS (64) Full-Size Steam Table Pans 2-1/2" or **NET WEIGHT** [64] GN 1/1 65mm

VOLTAGES 120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz [1716mm x 1744mm x 783mm] SHIPPING WEIGHT 750 lb (340 kg)

DIMENSIONS H x W x D 67-5/8" x 68-11/16" x 30-13/16"

618 lb [280 kg]

PRODUCT CAPACITY 480 lb [218 kg]



### 20-20MW

MAXIMUM PAN CAPACITY 40 GN 1/1 Pans 65mm

20 Full-Size Sheet Pans\*

VOLTAGES 208V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

\*Additional shelves required

### 20-20W

### MAXIMUM PAN CAPACITY

40 GN 1/1 Pans 65mm

20 Full-Size Sheet Pans\*

VOLTAGES 208V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

\*Additional shelves required



PAN CAPACITY (DIMENSIONS)

VOLTAGES 220V, 1Ph, 50/60Hz

# 30 GN 1/1 (530 mm x 325 mm x 65 mm)





Shown with split door option







DIMENSIONS H x W x D

40 Full-Size Steam Table Pans 2-1/2" or 74-3/4" x 35" x 41-5/16" [1898mm x 888mm x 1049mm]

> SHIPPING WEIGHT 538 lb [244 kg]

NET WEIGHT 419 lb (190 kg)

PRODUCT CAPACITY 480 lb [218 kg]

40 Full-Size Steam Table Pans 2-1/2" or

DIMENSIONS H x W x D 74-3/4" x 32-11/16" x 41" [1898mm x 830mm x 1039mm]

SHIPPING WEIGHT 538 lb [244 kg]

NET WEIGHT 419 lb [190 kg]

PRODUCT CAPACITY 480 lb [218 kg]

DIMENSIONS H X W X D

[1740 mm x 840 mm x 915 mm]

SHIPPING WEIGHT [168 kg]

NET WEIGHT [110 kg]

PRODUCT CAPACITY 163 kg

# **MERCHANDISERS** & DISPLAY CASES

# More taste. Less waste.

Heated merchandisers from Alto-Shaam® are designed and built with food quality in mind. When the food is good, the sales are great. All Alto-Shaam Merchandisers keep food hot, fresh, and looking and tasting great with adjustable, independent shelf controls to keep food at optimum quality regardless of packaging. And because they use radiant Halo Heat® technology, our merchandisers will keep your product moist, providing longer shelf life, less waste and higher profits.



### **Merchandisers & Display Cases**









### HSM-24/3S-CT

PAN CAPACITY

Three [3] 20-7/8" [530mm] wide shelves, Four [4] chicken boats with dome covers per shelf.

VOLTAGES 120V, 1Ph, 60Hz 208-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

### HSM-36/3S-CT

### PAN CAPACITY

Three [3] 32-7/8" (835mm) wide shelves, Six [6] chicken boats with dome covers per shelf.

VOLTAGES 208-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

### HSM-24/4S

### PAN CAPACITY

Four [4] 20-7/8" [530mm] wide shelves, Four [4] chicken boats with dome covers per shelf.

VOLTAGES 208-240V, 1Ph, 60Hz

### HSM-36/4S

### PAN CAPACITY

Four [4] 32-7/8" (835mm) wide shelves, Six [6] chicken boats with dome covers per shelf.

VOLTAGES 208-240V, 1Ph, 60Hz

DIMENSIONS H x W x D 45-3/4" x 24" x 27-5/16" [1162mm x 609mm x 694mm]

SHIPPING WEIGHT 300 lb (136 kg)

NET WEIGHT 250 lb (113 kg)

PRODUCT CAPACITY 16 lb (7 kg) per shelf

# DIMENSIONS H x W x D

45-3/4" x 36" x 27-5/16" [1162mm x 914mm x 694mm]

SHIPPING WEIGHT 417 lb [189 kg]

NET WEIGHT 311 lb [141 kg]

PRODUCT CAPACITY 24 lb (11 kg) per shelf

DIMENSIONS H x W x D 79-7/8" x 24" x 27-5/16" [2029mm x 609mm x 694mm]

SHIPPING WEIGHT 490 lb [222 kg]

NET WEIGHT 395 lb (179 kg)

PRODUCT CAPACITY 16 lb (7 kg) per shelf

DIMENSIONS H x W x D 79-7/8" x 36" x 27-5/16"

[2029mm x 914mm x 694mm]

SHIPPING WEIGHT 586 lb [266 kg]

NET WEIGHT 485 lb [220 kg]

PRODUCT CAPACITY 24 lb (11 kg) per shelf



HSM-48/4S

### PAN CAPACITY

Four [4] 44-7/8" (1140mm) wide shelves, Ten [10] chicken boats with dome covers per shelf.

VOLTAGES 208-240V, 1Ph, 60Hz

### HSM-24/5S

PAN CAPACITY

wide shelves, Four [4] chicken boats

VOLTAGES 208-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz



### PAN CAPACITY

wide shelves, dome covers per shelf.

VOLTAGES 208-240V. 1Ph. 60Hz 230V, 1Ph, 50/60Hz

### HSM-48/5S PAN CAPACITY

Five [5] 44-7/8" (1140mm) wide shelves, Ten [10] chicken boats with dome covers per shelf

VOLTAGES 208-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz



DIMENSIONS H x W x D 79-7/8" x 48" x 27-5/16" [2029mm x 1219mm x 694mm]

SHIPPING WEIGHT 690 lb (313 kg)

NET WEIGHT 555 lb (252 kg) PRODUCT CAPACITY 40 lb (18 kg) per shelf

Five [5] 20-7/8" (530mm) with dome covers per shelf.

Five (5) 32-7/8" (835mm) Six [6] chicken boats with

DIMENSIONS H x W x D 79-7/8" x 24" x 27-5/16" [2029mm x 609mm x 694mm]

SHIPPING WEIGHT 550 lb [249 kg]

NET WEIGHT 406 lb [184 kg]

PRODUCT CAPACITY 16 lb (7 kg) per shelf

DIMENSIONS H x W x D 79-7/8" x 36" x 27-5/16" [2029mm x 914mm x 694mm]

SHIPPING WEIGHT 652 lb (296 kg)

NET WEIGHT 496 lb [225 kg]

PRODUCT CAPACITY 24 lb [11 kg] per shelf

DIMENSIONS H x W x D 79-7/8" x 48" x 27-5/16" [2029mm x 1219mm x 694mm]

SHIPPING WEIGHT 772 lb [350 kg]

NET WEIGHT 563 lb (255 kg)

PRODUCT CAPACITY 40 lb [18 kg] per shelf

### **Merchandisers & Display Cases**







Deluxe Model Shown

### HFT2-300

PAN CAPACITY 3 Full-Size Steam Table Pans 4" or 3 GN 1/1 Pans 100mm

4 Full-Size Steam Table Pans 4" or

5 Full-Size Steam Table Pans 4" or

VOLTAGES 208-240V, 1Ph, 60Hz 230V, 1Ph, 50Hz

HFT2-400 PAN CAPACITY

VOLTAGES

4 GN 1/1 Pans 100mm

208-240V, 1Ph, 60Hz

230V, 1Ph, 50Hz

HFT2-500

PAN CAPACITY

VOLTAGES

5 GN 1/1 Pans 100mm

208-240V, 1Ph, 60Hz

230V, 1Ph, 50Hz

SHIPPING WEIGHT 280 lb [127 kg] NET WEIGHT 160 lb [73 kg]

PRODUCT CAPACITY 62 lb [30 kg]

DIMENSIONS H x W x D

33-3/4" x 48" x 39-3/4"

[857mm x 1220mm x 1008mm]

DIMENSIONS H x W x D 33-3/4" x 60" x 39-3/4" [857mm x 1525mm x 1008mm]

SHIPPING WEIGHT 280 lb [127 kg]

NET WEIGHT contact factory PRODUCT CAPACITY 96 lb [44 kg]

DIMENSIONS H x W x D

33-3/4" x 72" x 39-3/4" [857mm x 1830mm x 1008mm]

SHIPPING WEIGHT contact factory

NET WEIGHT 209 lb [95 kg]

PRODUCT CAPACITY 120 lb (54 kg)

### ITM2-48 [Standard or Deluxe]

CAPACITY Twelve [12] chicken boats

SHIPPING WEIGHT 389 lb [176 kg]

36 lb [16 kg]

PAN DIMENSIONS

\* G/N 1/1 Pan = (530mm x 325mm)





### FD2SYS-72

[1536mm x 1219mm x 719mm]

PRODUCT CAPACITY

DIMENSIONS H x W x D

60-1/2" x 48" x 28-5/16"







VOLTAGES 120/208-240V, 1Ph, 50/60Hz 208V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

PAN CAPACITY

VOLTAGES

120/208-240V, 1Ph, 50/60Hz 208V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz 380V, 3Ph, 50/60Hz 415V, 3Ph, 50/60Hz

# ED2SYS-96

PAN CAPACITY 7 Full-Size Steam Table Pans 2-1/2" or 7 GN 1/1 65mm or 4 Full-Size Sheet Pans

VOLTAGES


### NET WEIGHT 255 lb [116 kg]

with dome cover

VOLTAGES 120V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

\* Steam Table Pan = [20 x 12]











### ITM2-72 [Standard or Deluxe]

### CAPACITY

Twenty-one [21] chicken boats with dome covers

### VOLTAGES

120V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

### DIMENSIONS H x W x D

60-1/2" x 72" x 28-5/16" [1536mm x 1829mm x 719mm]

### SHIPPING WEIGHT 590 lb [268 kg]

NET WEIGHT 355 lb (161 kg)

PRODUCT CAPACITY 63 lb (29 kg)

### ED2SYS-48

### PAN CAPACITY

3 Full-Size Steam Table Pans 2-1/2" or 3 GN 1/1 65mm or 2 Full-Size Sheet Pans

### DIMENSIONS H x W x D

47-11/16" x 48" x 47-3/8" [1212mm x 1219mm x 1202mm]

### SHIPPING WEIGHT 500 lb [227 kg]

NET WEIGHT 450 lb [204 kg]

### PRODUCT CAPACITY 48 lb [22 kg]

5 Full-Size Steam Table Pans 2-1/2" or 5 GN 1/1 65mm or 3 Full-Size Sheet Pans

208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz

### DIMENSIONS H x W x D

47-11/16" x 72" x 47-3/8" (1761mm x 1829mm x 1202mm)

### SHIPPING WEIGHT 700 lb [317 kg]

NET WEIGHT 621 lb [282 kg]

PRODUCT CAPACITY 80 lb (36 kg)

### DIMENSIONS H x W x D

47-11/16" x 96" x 47-3/8" [1212mm x 2438mm x 1202mm]

### SHIPPING WEIGHT 796 lb [361 kg]

NET WEIGHT 716 lb (325 kg)

### PRODUCT CAPACITY 112 lb (51 kg)

## **Merchandisers & Display Cases**



### ED2-48

### PAN CAPACITY

3 Full-Size Steam Table Pans 2-1/2" or 3 GN 1/1 65mm or 2 Full-Size Sheet Pans

### VOLTAGES 120/208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D 30-1/8" x 48" x 44-5/16" (765mm x 1219mm x 1125mm)

SHIPPING WEIGHT 372 lb [169 kg] NET WEIGHT 297 lb [135 kg]

PRODUCT CAPACITY 48 lb [22 kg]



### ED2-2S-48 CAPACITY

Top shelf

VOLTAGES 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz



### ED2-72

PAN CAPACITY 5 Full-Size Steam Table Pans 2-1/2" or 5 GN 1/1 65mm or 3 Full-Size Sheet Pans

VOLTAGES 120/208-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz

[765mm x 1829mm x 1125mm] SHIPPING WEIGHT 465 lb [210 kg]

DIMENSIONS H x W x D

30-1/8" x 72" x 44-5/16"

NET WEIGHT 419 lb [190 kg]

PRODUCT CAPACITY 80 lb [36 kg]



Bottom shelf Tweny one [21] chicken boats with dome covers



### ED2-96

### PAN CAPACITY

7 Full-Size Steam Table Pans 2-1/2" or 7 GN 1/1 65mm or 4 Full-Size Sheet Pans

VOLTAGES 120/208-240V, 1Ph, 60Hz 380-415V, 3Ph, 50/60Hz

DIMENSIONS H x W x D 30-1/8" × 96" × 44-5/16" (765mm x 2438mm x 1125mm)

SHIPPING WEIGHT 585 lb (265 kg)

NET WEIGHT 526 lb [239 kg]

PRODUCT CAPACITY 112 lb (51 kg)



CAPACITY Top shelf

Twelve [12] chicken boats with dome covers

Bottom shelf Fifteen [15] chicken boats with dome covers

### DIMENSIONS H x W x D

30-3/16" x 48" x 48" [766mm x 1219mm x 1220mm]

SHIPPING WEIGHT 375 lb (170 kg) NET WEIGHT

325 lb [147 kg]

ED2-2S-72

### CAPACITY

Top shelf Eighteen (18) chicken boats with dome covers

VOLTAGES 208-240V, 1Ph, 50/60Hz DIMENSIONS H x W x D 30-3/16" x 72" x 48" [766mm x 1829mm x 1220mm]

SHIPPING WEIGHT 460 lb [209 kg]

NET WEIGHT 410 lb [186 kg]

### ED2-2S-96

Twenty Four [24] chicken boats with dome covers

Bottom shelf Thirty [30] chicken boats with dome covers

VOLTAGES 208-240V, 1Ph, 50/60Hz DIMENSIONS H x W x D 30-3/16" x 96" x 48" [766mm x 2438mm x 1220mm]

SHIPPING WEIGHT 600 lb [272 kg]

NET WEIGHT 550 lb (249 kg)

# **FOOD WELLS**

# Better food quality without water. Individual well control.

Inside Alto-Shaam drop-in food wells, gentle Halo Heat® technology surrounds each heated food well with precisely controlled, even heat so there are no long recovery times or extreme temperature swings. These waterless drop-in wells easily fit into any buffet service counter, prep station, or chef's table.



# Food Wells | Hot Wells



Dimensions based on 100-HW D443



Dimensions based on 200-HW D4

100-HW

PAN CAPACITY 1 Full-Size Steam Table Pan 4" or 1 GN 1/1 100mm

VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

SHIPPING WEIGHT Contact factory

DIMENSIONS

15" (380mm)

NET WEIGHT

DIMENSIONS

28-1/16" x 23-1/8"

(712mm x 586mm)

SHIPPING WEIGHT

PRODUCT CAPACITY

48 lb [22 kg], 29 qt [28 L]

115 lb (52 kg)

NET WEIGHT

40 lb [18 kg]

Based on D4

23-1/8" [586mm]

31 lb [14 kg] PRODUCT CAPACITY 24 lb [11 kg] Based on D4

200-HW

PAN CAPACITY 2 Full-Size Steam Table Pans 4" or 2 GN 1/1 Pans 100mm

VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

\* Available with individual well controls



Dimensions based on 400-HW D4

Dimensions based on 500-HW D4

VOLTAGES

\* Available with individual well controls



Dimensions based on 300-HW D4

300-HW

PAN CAPACITY

VOLTAGES

120V, 1Ph, 50/60Hz

230V, 1Ph, 50/60Hz

208-240V, 1Ph, 50/60Hz

\* Available with individual well controls

### DIMENSIONS

3 Full-Size Steam Table Pans 4" or 3 GN 1/1 Pans 100mm

40-15/16" x 23-1/8" (1039mm x 586mm) SHIPPING WEIGHT

128 lb [58 kg] NET WEIGHT

54.5 lb [25 kg] PRODUCT CAPACITY

72 lb [33 kg] Based on D4

...

54

### 400-HW

### PAN CAPACITY

4 Full-Size Steam Table Pans 4" or 4 GN 1/1 Pans 100mm

### VOLTAGES

120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

\* Available with individual well controls

### 500-HW

### PAN CAPACITY

5 Full-Size Steam Table Pans 4" or 5 GN 1/1 Pans 100mm

120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz

### DIMENSIONS

54" x 23-1/8" [1371mm x 586mm]

SHIPPING WEIGHT 125 lb [57 kg] estimated

NET WEIGHT 71 lb [32 kg]

PRODUCT CAPACITY 96 lb (44 kg) Based on D4

### DIMENSIONS

67-1/16" x 23-1/8" [1702mm x 586mm]

SHIPPING WEIGHT 125 lb (57 kg)

NET WEIGHT 85 lb (39 kg)

PRODUCT CAPACITY 120 lb (54 kg) Based on D4

PAN DIMENSIONS

\* Steam Table Pan = (20 x 12)

\* G/N 1/1 Pan = (530mm x 325mm)

# THERMAL SHELVES & CARVING STATIONS

# Maintain food quality. Maximize appeal.

### **Heated Carving Stations**

Portable Heated Carving Stations keep the product hot while maximizing visual appeal. Carving stations can stand alone or can be paired with the matching Cook & Hold oven or Heated Holding Cabinet as a self-contained mobile carving system.

While many carving stations rely solely on old-fashioned heat lamps, Alto-Shaam's Heated Carving Stations keep food warmed from below and above. Soft, gentle Halo Heat radiates from the carving shelf surface, while ambient surface lamps effectively maintain temperature from above, without further cooking or drying out the food. Optional decorative sneeze guards also are available.

### **Heated Thermal Shelves**

Add an upscale look to your countertop food display with a hot food holding module that allows you to combine your own solid surface material with a Halo Heat, base-heated, drop-in thermal shelf for a perfect countertop blend. The adjustable thermostat provides optimal temperature flexibility and maintenance for serving or carving and can be built into any new or existing service line.





# **Thermal Shelves**





### HFM-24

VOLTAGES 208V 1Ph, 60Hz 230V, 1Ph, 50/60Hz

HFM-30

VOLTAGES

208V 1Ph, 60Hz

230V, 1Ph, 50/60Hz

DIMENSIONS L x W x D 24-3/4" x 24-3/4" x 5-7/16" [627mm x 627mm x 137mm]

> SHIPPING WEIGHT 104 lb [47 kg]

NET WEIGHT 39 lb (18 kg)

DIMENSIONS L x W x D 30-5/8" x 24-3/4" x 5-7/16" [778mm x 627mm x 137mm]

SHIPPING WEIGHT 118 lb [54 kg]

> NET WEIGHT 53 lb [24 kg]





HFM-72

VOLTAGES 208V 1Ph, 60Hz 230V, 1Ph, 50/60Hz

# **Carving Stations**



VOLTAGES 120V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz



VOLTAGES 120V, 1Ph, 60Hz



### HFM-48

### VOLTAGES

208V 1Ph, 60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS L x W x D 48-3/4" × 24-3/4" × 5-7/16" [1237mm x 627mm x 137mm]

SHIPPING WEIGHT 130 lb (59 kg)

NET WEIGHT 60 lb [27 kg]

DIMENSIONS L x W x D 72-3/4" x 24-3/4" x 5-7/16" [1847mm x 627mm x 137mm]

SHIPPING WEIGHT 175 lb (79 kg)

NET WEIGHT 88 lb [40 kg]

CS-100 [Also available with sneeze guard]

DIMENSIONS L x W x D CS-100: 31-3/16" x 18-3/16" x 24-5/8" [792mm x 463mm x 626mm]

SHIPPING WEIGHT 100 lb (45 kg)

NET WEIGHT Contact Factory

CS-200 [Also available with sneeze guard]

230V, 1Ph, 50/60Hz

DIMENSIONS L x W x D 33-3/16" x 25-3/4" x 29-5/16" [842mm x 654mm x 744mm]

SHIPPING WEIGHT 150 lb (68 kg)

NET WEIGHT 60 lb [27 kg]

# QUICKCHILLERS<sup>™</sup> & MOBILE REFRIGERATED TRANSPORT CARTS

# Protect and serve your food and your customers.

Imagine being able to quickly cool down food to be handled by staff. Reduce daily production times and requirements by producing food up to five days in advance and simply rethermalizing based upon demand. With a variety of models available in both self-contained and remote configurations, QuickChiller freezer/chiller refrigeration systems are designed to rapidly and uniformly decrease the temperature of hot foods to either a chilled or frozen state well within HACCP/FDA code requirements.



### Quickchillers<sup>™</sup> & Mobile **Refrigerated Transport Carts**



### QCI-20

### CAPACITY

Chill capacity by cycle: 20 kg Freeze capacity by cycle: 10 kg Gross capacity: 105 L Wire shelves: GN 1/1 [not included] Max number of shelves: 5 Shelf spacing: 75mm

REFRIGERANT R290



### QCI-45 CAPACITY

Chill capacity by cycle: 45 kg Freeze capacity by cycle: 20 kg Gross capacity: 210 L Wire shelves: GN 1/1 [not included] Max number of shelves: 10 Shelf spacing: 75mm

REFRIGERANT R452A

VOLTAGE 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

SHIPPING WEIGHT

100 kg

877mm x 755mm x 700mm

NET WEIGHT 90 kg PRODUCT CAPACITY 20 kg

DIMENSIONS H x W x D 1536mm x 755mm x 700mm

SHIPPING WEIGHT 145 kg

VOLTAGE 230V, 1Ph, 50/60Hz NET WEIGHT 135 kg PRODUCT CAPACITY 45 kg



C



### PAN CAPACITY

Gross Capacity: 160 kg

Roll-in Pan Cart:

shelf spacing Roll-in Plate Cart:

• 51 Plates, 66mm vertical shelf spacing

• 60 Plates, 77mm vertical shelf spacing

### QCI-100R PAN CAPACITY

Gross: 160 kg

Cart options/capacities: Roll-in Pan Cart: • 20 Shelves, 65 mm vertical shelf spacing Roll-in Plate Cart:

shelf spacing

### 1000-MR2-1

PAN CAPACITY 24 GN 1/1

VOLTAGE 220V 1Ph 50/60hz

REFRIGERANT R134A

### 1000-MR2-2

PAN CAPACITY 48 GN 1/1

VOLTAGE 220V 1Ph 50/60hz

REFRIGERANT R134A

### QCI-60

CAPACITY

Chill capacity by cycle: 60 kg Freeze capacity by cycle: 25 kg Gross capacity: 280 L Wire shelves: GN 1/1 (not included) Max number of shelves: 13 Shelf spacing: 75mm

REFRIGERANT R452A

DIMENSIONS H x W x D 1811mm x 755mm x 700mm SHIPPING WEIGHT

175 kg VOLTAGE 230V, 1Ph, 50/60Hz

NET WEIGHT 165 kg PRODUCT CAPACITY 60 kg









40 GN 1/1 [or 20 GN 2/1]

Cart options/capacities:

• 20 Shelves, 65 mm vertical

40 GN 1/1 [or 20 GN 2/1]

• 51 Plates, 66mm vertical • 60 Plates, 77mm vertical shelf spacing

### DIMENSIONS H x W x D

2365mm x 1250mm x 1180mm

SHIPPING WEIGHT 350 kg (QCI-100 only) 120 kg (Condensing Unit only) VOLTAGE

230V, 3Ph, 50/60Hz

NET WEIGHT 320 kg (QCI-100 only) 110 kg (Condensing Unit only)

REFRIGERANT R452A

DIMENSIONS H x W x D 2180mm x 1250mm x 1180mm SHIPPING WEIGHT

350 kg VOLTAGE 230V, 1Ph, 50/60Hz

NET WEIGHT 320 kg (QCI-100 only)

REFRIGERANT R452A

[530mm x 325mm x 65mm]

DIMENSIONS H x W x D 1740mm x 840mm x 915mm

SHIPPING WEIGHT 115 kg or 191 kg [depending on crate or pallet]

NET WEIGHT 130 kg

PRODUCT CAPACITY 131 kg maximum

[530mm x 325mm x 65mm]

DIMENSIONS H x W x D 1760mm x 1552mm x 909mm SHIPPING WEIGHT 230 kg NET WEIGHT 180 kg PRODUCT CAPACITY 181 kg maximum



"These ovens have improved the ability of our team to produce the highest quality, most consistent product that I have ever seen in the duration of my career."

**Michael Northern** Vice President/Partner WJP Restaurant Group

# **GLOBAL EQUIPMENT**





### Full Line Commercial Kitchen Equipment:

Alto-Shaam specializes in creating products

foodservice programs in a variety of industries

throughout the world.

and system solutions that are the core of successful

- Combitherm® Ovens
- Convection Ovens
- Cook & Hold Ovens
- Food Wells
- Quickchillers™ - Rotisseries

- Smokers

- Heated Holding

- Thermal Shelves & Carving Stations
- Merchandisers & Display Cases
- Vector<sup>®</sup> Multi-Cook Ovens

### KlopPro B.V.

Oostergracht 7A 3763 LX Soest Nederland

+31 (0) 30 - 2412 021 · info@alto-shaam.nl · www.alto-shaam.nl



### ALTO-SHAAM BENELUX



🖾 🎔 🚹 🌐 🛅